

Date: Tuesday, 02/12/2008 11:16:58 AM  
 User: Julie Dawson

## Process Sheet

<b>Customer</b> : CU-DAR001 Dart Helicopters Services	<b>Drawing Name</b> : PLUG
<b>Job Number</b> : 43884	
<b>Estimate Number</b> : 10178	
<b>P.O. Number</b> :	<b>Part Number</b> : D25941
<b>This Issue</b> : 02/12/2008 <b>S.O. No.</b> :	<b>Drawing Number</b> : D2594 REV C
<b>Prsht Rev.</b> : NC	<b>Project Number</b> : N/A
<b>First Issue</b> : 11 <b>Type</b> : MACHINED PARTS	<b>Drawing Revision</b> : C
<b>Previous Run</b> : 42807	<b>Material</b> :
<b>Written By</b> :	<b>Due Date</b> : 05/01/2009 <b>Qty:</b> 500 <b>Um:</b> Each
<b>Checked &amp; Approved By</b> : <u>JUD 08.12.02</u>	
<b>Comment</b> : Est D 02.08.22 Make in Cobra KJ est E 06.12.11 ecn 836 EC	

## Additional Product

Job Number:



Seq. #:	Machine Or Operation:	Description :
1.0	M6061T6R0625	6061-T6 Round Bar .625" <i>can't remove MTL in COMPUTER</i>
<b>Comment:</b> Qty.: 0.0547 f(s)/Unit Total: 27.3525 f(s) Material: 5052-H32 (QQ-A-225/7) or 6061-T6 (QQ-A-225/8) 1100-0 (QQ-A-225/1) Ø0.625" Rod (M5052H32R0.625) or (M6061T6R0.625) Batch <i>M109733</i> <i>mk 08/12/11</i> <i>508</i>		
2.0	HARDINGE	HARDINGE CNC LATHE SMALL
<b>Comment:</b> HARDINGE CNC LATHE SMALL 1-Make as per Dwg D2594-1 and Folio FA262. 2-Break all sharp edges 0.010 max. <i>mk 08/12/11</i> <i>(508)</i>		
3.0	QC2	INSPECT PARTS AS THEY COME OFF MACHINE
<b>Comment:</b> INSPECT PARTS AS THEY COME OFF MACHINE <i>mk 08/12/11</i> <i>(508)</i>		
4.0	QC8	SECOND CHECK
<b>Comment:</b> SECOND CHECK <i>SA 08/12/12</i>		
5.0	HAND FINISHING1	HAND FINISHING RESOURCE #1
<b>Comment:</b> HAND FINISHING RESOURCE #1 Acid etch and alodine as per QSI 005 4.1 <i>mk 08/12/12</i> <i>(508X)</i>		

**Dart Aerospace Ltd**

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_  
 Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

Date: Tuesday, 02/12/2008 11:16:58 AM  
User: Julie Dawson

## Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: PLUG

Job Number: 43884

Part Number: D25941

Job Number:



Seq. #:

Machine Or Operation:

Description :

6.0

POWDER COATING

POWDER COATING



M 109996



(508X)

Comment: POWDER COATING

Powder Coat Gloss White (Ref: 4.3.5.1) per Dart QSI 005 4.3 (only larger dia. section necessary)

START TIME:

OVEN TEMPERATURE:

FINISH TIME:

9:50  
320  
10:20

M-1

08/12/18

7.0

QC3

INSPECT POWDER COAT/CHEMICAL CONVERSION



(508)

Comment: INSPECT POWDER COAT/CHEMICAL CONVERSION

FL 08/12/18

8.0

PACKAGING 1

PACKAGING RESOURCE #1



(508X)

Comment: PACKAGING RESOURCE #1

Identify and Stock

Location: \_\_\_\_\_

FP - A

M-1

08/12/18

9.0

QC21

FINAL INSPECTION/W/O RELEASE



08/12/22

Comment: FINAL INSPECTION/W/O RELEASE

Job Completion



MF 08-12-18

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries




**DART**

DESIGN #	DRAWN BY CB	<b>DART AEROSPACE LTD</b> HAWKESBURY, ONTARIO, CANADA	
CHECKED LE	APPROVED #	DRAWING NO. <b>D2594</b>	REV. C SHEET 1 OF 1
DATE <b>06.11.20</b>	TITLE <b>PLUG</b>		SCALE 2:1
REV	DATE	DESCRIPTION	
A	96.09.16	NEW ISSUE	
B	97.03.15	ADD GROOVE AND O-RING	
C	06.11.20	ADD PWDR COAT; ADD MS P/N TO D2594-3; ADD AMS SPECS; ADD TOLERANCE NOTE	

RELEASED

06.11.28

**D2594-1 PLUG NOTES:**


- 1) MATERIAL: ALUMINUM 5052-H32 ROUND BAR PER QQ-A-225/7 (REF DART SPEC M5052H32R) OR ALUMINUM 6061-T6/T651/T6510/T6511/T62 ROUND BAR PER QQ-A-225/8 OR QQ-A-200/8 OR AMS 4117/4128/4115/4116/4160 (REF DART SPEC M6061T6R)
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1  
POWDER COAT SPECIFIED FACES WHITE GLOSS (4.3.5.1) PER DART QSI 005 4.3
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 5) BREAK ALL SHARP EDGES TO 0.010 MAX

**D2594-3 O-RING NOTES:**

- 1) 5/16 ID, 7/16 OD, 1/16 WIDTH
- 2) POSSIBLE SUPPLIER P/N: PARKER 2-011 OR MS28775-011

**PARTS LIST:**

QTY	P/N	DESCRIPTION
X	D2594	PLUG ASSEMBLY
1	D2594-1	PLUG
1	D2594-3	O-RING



COPYRIGHT © 1996 BY DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.